

Docket No.: P-0056

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE



In re Application of

Joong-Kyu CHOI

Serial No.: 09/469,307

Filed: 12/29/1999

Confirmation No.: 4821

Group Art Unit: 2161

Examiner: Wayne P. Amsbury

Customer No.: 34610

For: DATABASE SYNCHRONIZATION APPARATUS IN ELEMENT MANAGEMENT SYSTEM AND METHOD THEREFOR

U.S. Patent and Trademark Office
Customer Window, Mail Stop Amendment
Randolph Building
401 Dulany Street
Alexandria, Virginia 22314

Dear Sir:

Transmitted herewith is an Amendment and/or Reply in the above identified application.

- ☐ No additional fee is required.
☒ Also attached: Annotated and Replacement Figs. 2, 3, 4 and 5

The fee has been calculated as shown below:

	NO. OF CLAIMS	HIGHEST PREVIOUSLY PAID FOR	EXTRA CLAIMS	RATE	FEE
Total Claims	25	25	0	x \$50.00 =	\$0.00
Independent Claims	3	3	0	x \$200.00 =	\$0.00
If multiple claims newly presented, add \$360.00					\$0.00
Fee for extension of time					\$0.00
TOTAL FEE DUE					\$0.00

- ☐ Please charge my Deposit Account No. 16-0607 in the amount of \$____. An additional copy of this transmittal sheet is submitted herewith.
- ☐ A check in the amount of \$_____ (Check #_____) is attached.
- ☒ The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment, to Deposit Account No. 16-0607, including any filing fees under 37 C.F.R. 1.16 for presentation of extra claims and any patent application processing fees under 37 C.F.R. 1.17.

Respectfully submitted,
FRESHNER & KIM, LLP

Daniel Y.J. Kim
Registration No. 36,186
David C. Oren
Registration No. 38,694

P.O. Box 221200
Chantilly, VA 20153-1200
(703) 766-3701 DYK:DCO/kah
Date: July 6, 2005